Chevron Burnaby Refinery

Air Quality & Liquid Waste Permits

CAP November 24, 2011



Overview

- GVRD Regulatory Authority
- Air Discharge/Liquid Waste Permits
- Chevron Permits
- Permit Monitoring & Testing
- Compliance Monitoring
- Complaint Response



Legal Framework

BC Legislature **Metro Vancouver Board Air Quality District Director Permit Decisions**

Elected Board Bylaws

- General application
- Political Considerations

- Site Specific Application
- Technical Considerations
- May be Appealed

Permits - Sewer Use

Protect:

- worker health & safety
- sewerage infrastructure
- biosolids quality

Minimize:

- environmental impacts
- capital & operating costs

Ensure:


Compliance with WWTP Operational Certificate





Permits – Air Quality

- Prohibit, regulate and otherwise control and prevent the discharge of air contaminants
- Protect local and regional air quality
- Allows for site specific requirements





Chevron Burnaby Refinery Permits

Greater Vancouver Regional District Air Quality Management Bylaw No. 937, 1999

GVRD Air Quality Permit GVA0117

(amended May 2, 2008)

Greater Vancouver Sewerage & Drainage District Sewer Use Bylaw No. 299, 2007

GVS&DD Waste Discharge Permit

No. SC-100010-VSA

(amended June 30, 2011)



Permit Requirements

- Emission/Discharge quantity limits
- Emission/Discharge quality limits
- Authorized works and procedures
- Monitoring and Testing requirements
- Reporting requirements



Compliance Monitoring

Compliance assessment and promotion

- Audit compliance testing
- Review self-monitoring reports
- Conduct inspections and testing
- Respond to public inquiries and complaints
- Ambient monitoring stations



Ambient Air Stations



Complaint & Enquiry Services

Air Quality Complaint Line 604-436-6777

- 24 hours/day (Officer response 16 hours/day)
- Typically year ~2000 air quality complaints
- ~80% typically odour complaints

Respond to complaints and general enquiries from general public, other government agencies and industry

